JC20 Rec'd PCT/PTO 1.9 MAY 2005

ABSTRACT OF THE DISCLOSURE

A spout assembly for a liquid container includes a spouting member formed on an outlet of the container, a closer coupled on the spouting member, a male seal structure formed on the spouting member, and a female seal structure formed on the closer, the female seal structure corresponding to the male seal structure.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 3 June 2004 (03.06.2004)

PCT

(10) International Publication Number WO 2004/045977 A1

(51) International Patent Classification7:

B65D 33/38

10-2003-0024527 10-2003-0035796 14 April 2003 (14.04.2003) 26 May 2003 (26.05.2003)

KR KR

(21) International Application Number:

PCT/KR2003/002517

(22) International Filing Date:

20 November 2003 (20.11.2003)

(25) Filing Language:

Korean

(26) Publication Language:

English

(30) Priority Data:

10-2002-0074146

	20 November 2002 (20.11.2002)	KR
10-2003-0001764	7 January 2003 (07.01.2003)	KR
10-2003-0002574	10 January 2003 (10.01.2003)	KR
10-2003-0004667	20 January 2003 (20.01.2003)	KR
10-2003-0015278	6 March 2003 (06.03.2003)	KR
10-2003-0015279	6 March 2003 (06.03.2003)	KR
10-2003-0020306	31 March 2003 (31.03.2003)	KR

(71) Applicant and


(72) Inventor: LEE, Jung-Min [KR/KR]; #1208, Misung APT. A-dong, 37 Yeouedo-dong, Youngdungpo-gu, 150-010 Seoul (KR).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,

[Continued on next page]

(54) Title: SPOUT ASSEMBLY FOR LIQUID CONTAINER



(57) Abstract: A spout assembly for a liquid container includes a spouting member formed on an outlet of the container, a closer coupled on the spouting member, a male seal structure formed on the spouting member, and a female seal structure formed on the closer, the female seal structure corresponding to the male seal structure.

WO 2004/045977 A1

ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

 before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.